

# INDEX MAPS.

## T.33N, R. 9 E. 2<sup>nd</sup> Mer.

	170	170	169	169	168	168						
172	6	196	5	190	4	186	3	182	2	181	1	166
	196		195		190		186		180		181	
172	7	195	8	190	9	185	10	180	11	179	12	166
	In Lake		194		189		185		180		178	
171 172	18	194	17	189	16	185	15	179	14	178	13	165 167
	194		193		189		184		177		178	
171 173	19	193	20	188	21	184	22	177	23	175	24	165 167
	193		192		188		183		176		174	
171 173	30	192	29	187	28	183	27	176	26	174	25	165 167
	191		191		187		182		176		174	
170 173	31	191	32	187	33	182	34	175	35	173	36	165 167
	164		164		164		163		163		163	

Meanders 196

## T.34N, R. 9 E. 2<sup>nd</sup> Mer.

		216		216		215		215		215		214
218	6	244	5	238	4	234	3	229	2	225	1	212
	244		244		238		233		229		225	
218 219	7	243	8	237	9	233	10	228	11	224	12	212 213
	242		243		237		233		228		224	
218 219	18	242	17	237	16	232	15	228	14	223	13	212 213
	242		241		236		232		227		223	
217 219	19	241	20	236	21	231	22	227	23	222	24	212 213
	240		240		235		231		227		222	
217 219	30	240	29	235	28	230	27	226	26	221	25	211 214
	239		239		235		230		226		221	
217 220	31	239	32	234	33	230	34	225	35	220	36	211 214
	211		210		210		209		209		209	

Meanders 245

Meanders 245

The figures on the lines refer to the page.

209

Township N. 34 North of Range N. 9 East 1<sup>st</sup> Mer. Indian

South Boundary

- Note On South Boundary of Sec 36 var. 5.45.8
9. 00 Sulphur Spring. S. 41.
25. 00 Enter Mt Prairie
35. 50 Leave it
38. 57 A W. Oak 22 in. diam.
40. 00 Set a gp. sec. post. from which  
a W. Oak 24 in. diam. bears N. 52 E. 61 links dist. &  
a Do 17 " " " S. 45 W. 10 " "
47. 50 A B. Oak 22 & Enter Mt Prairie
60. 00 Passed close to the N. E. end of Lake
80. 00 Set a Post cor. to Sec. 35 & 36 from which  
an Aspen 14 in. diam. bears S. 25 E. 29 links dist. &  
a Do 7 " " " S. 2 E. 50 " "  
Land rolling 2<sup>nd</sup> rate. Oak Timber. Open woods.

- Note On South Boundary of Sec 35.
22. 00 Line run in S. W. corner of a small Lake. 2 chains.
27. 00 Leave Mt Prairie
29. 93 A W. Oak 24 in. diam.
30. 25 Enter Mt Prairie
40. 00 Set a gp. sec. post. from which. (in Prairie)  
a Burr Oak 24 in. diam. bears Note 182 lks. dist. &  
a Leave Prairie
59. 77 A W. Oak 15 in. diam.
80. 00 Set a Post cor. to Sec. 34 & 35 from which  
a W. Oak 24 in. diam. bears N. 44 E. 36 links dist. &  
a Do 23 " " " N. 72 W. 23 " "  
Land & Timber as before

- Note On South Boundary of Sec 34
6. 57 A Burr Oak 15 in. diam.
29. 50 An R. Oak 13 " "
40. 00 Set a gp. sec. post. from which  
a Hickory 4 in. diam. bears N. 18 W. 11 links dist. &  
a W. Oak 6 " " " N. 73 W. 31 " "



T 34 N. R 9 E 2<sup>nd</sup> Mer. Indiana

- 57.32 A W. Oak 40 in. diam.  
 60.00 Enter S. Prairie  
 65.50 Leave Do  
 80.00 Set a Post cor. to Sec. 33. & 34. from which  
 a B. Oak 6 in. diam. bears N. 8 E. 25 links dist &  
 a Hickory 5 " " " N. 44 W. 20 " "  
 Land hilly & 3<sup>rd</sup> rate. Timber. Oak & Hickory.  
 Underg<sup>th</sup> same

- Note On South Boundary of Sec 33  
 11.96 Set a Post on the East Bank of Lake from which  
 a B. Oak 20 in. diam. bears S. 81 E. 19 links dist &  
 a W. Oak 18 " " " N. 45 E 50 " "  
 32.50 Set a Post on the West side of Lake in the  
 Barrens. No trees.  
 Offset this Lake 23 chains & 50 links South.  
 Thence West 20 " 54 " Thence  
 North 23 " 50 " to true line &c.  
 34.51 A Hickory 6 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Hickory 6 in. diam. bears East 48 links dist &  
 a W. Oak 4 " " " N. 45 W. 20 " "  
 57.82 A Hickory 24 in. diam.  
 60.00 June 17<sup>th</sup>  
 80.00 Set a Post cor. to Sec. 32 & 33 from which  
 a Hickory 8 in. diam. bears S. 86 E. 33 links dist &  
 a Do 5 " " " N. 61 W. 46 " "  
 Land &c as before

- Note On South Boundary of Sec 33  
 16.64 A W. Oak 16 in. diam.  
 37.81 To Wayne Road. S. W.  
 40.00 Set a gr. Sec. post from which  
 a W. Oak 27 in. diam. bears N. 5 E. 1.27 links dist &  
 a Do 24 " " " N. 24 W. 40 " "  
 50.50 Enter Barrens with scattering Oak & Hickory.

77.24 A W. Oak 8 in. diam.  
 80.00 Set a Post cor. to Sec. 31 & 32 from which  
 a Burr Oak 8 in. diam. bears N 21 E 11 links dist. &  
 a Do Do 10 " " " N 55 W 59 " "  
 Land &c as before.

West On South Boundary of Sec 31  
 39.70 A W. Oak 24 in. diam.  
 40.00 Set a g. Sec. post from which  
 a W. Oak 24 in. diam. bears East 20 links dist. &  
 a Hickory 6 " " " N 65 W 70 " "  
 51.52 A W. Oak 12 " "  
 63.00 A Hickory 8 " "  
 80.00 Set a Temp.<sup>o</sup> Post. to Towns 33 & 34. R. 8 & 9. E.  
 Land 2<sup>nd</sup> rate Barrens. with scattering Oak  
 and Hickory. Underg<sup>th</sup> the same.

East Boundary var. 5' 20' 6"

North On Random On East Boundary of Sec 30  
 24.00 Enter Mt. Prairie  
 40.00 Set a Temp.<sup>o</sup> g. Sec. post in Prairie  
 57.50 Leave I. Prairie  
 62.00 Mt. Prairie  
 70.00 Leave it  
 80.00 Set a Temp.<sup>o</sup> Post Cor. to Sec 25 & 30  
 Land Rolling except Prairie soil 2<sup>nd</sup> rate.  
 Open Oak woods

North On Random On East Boundary of Sec. 25  
 20.00 Enter I. Prairie  
 33.00 Leave Do  
 40.00 Set a temp.<sup>o</sup> g. Sec. post  
 58.30 A Stream 25 links wide course N W.  
 80.00 Set a temp.<sup>o</sup> post cor. to Sec. 24 & 25  
 Land &c as before

# S 34 A R 9 E 2nd Mer. Indiana

North On Random on East Boundary of Sec 24. -

10. 00 Set a Temp<sup>s</sup> of Sec post

80. 00 Set a " Post cor. to Sec. 13 & 24

Land rolling 2<sup>nd</sup> rate. Timber Oak

North On Random On East Boundary of Sec 13 June 18<sup>th</sup>

40. 00 Set a temp<sup>s</sup> of Sec post

64. 00 Enter wet Prairie

65. 50 Leave same

80. 00 Set a Temp<sup>s</sup> Post cor. to Sec. 12 & 13.

Land & Timber same as before.

North On Random On East Boundary of Sec. 12

40. 00 Set a temp<sup>s</sup> of Sec post.

45. 00 Leave Oak Barrens Woods & Enter wet woods.

58. 50 A Spring S E.

65. 00 S. Prairie

72. 50 Leave Do.

80. 00 Set a temp<sup>s</sup> Post cor. to Sec. 1 & 12

Land 2<sup>nd</sup> rate except the Swamp.

North On Random On East Boundary of Sec 1

19. 00 Enter S. Prairie

33. 50 Leave same

40. 00 Set a Temp<sup>s</sup> of Sec. post

79. 90 Intersect the North Boundary 8 links West of the Post.

Land level 2<sup>nd</sup> rate. Timber. Beech. Ash  
& Elm. Underg<sup>th</sup> Spice & Ironwood.

South Corrected On East Boundary of Sec 1.

7. 30 A Spar. Oak 25 in. diam.

24. 06 A Hickory 12 in. diam.

39. 90 Set a of Sec post on true line from which  
a Lynn 8 in. diam. bears N. 70 W. 19 links dist &  
an Ironwood 6 in. diam. bears S 31 W. 15 .

T 34 N. R. 9 E. 2<sup>nd</sup> Mer Indiana

60. 96	A W. Oak 8 in. diam.
80. 00	Set a Post cor. to Sec. 1 & 12 from which a Beech 15 in. diam. bears N. 42° W. 70 links dist. & a Spruce 15 " " " S 34° W. 19 " "
<hr/>	
South	Corrected On East Boundary of Sec 12
21. 30	An Ironwood 12 in. diam.
40. 00	Set a gr. Sec. post from which an Elm 10 in. diam. bears N. 42° W. 13 links dist. & a Do 6 " " " S 37° W. 22 " "
45. 06	An Elm 12 " "
70. 32	A Spruce 6 " "
80. 00	Set a Post cor. to Sec. 12 & 13 from which a Chaparral 5 in. diam. bears N. 78° W. 3 1/2 links dist. & a Spruce 6 " " " S 40° W. 9 " "
<hr/>	
South	Corrected On East Boundary of Sec 13
19. 07	An Elm 13 in. diam.
40. 00	Set a gr. Sec. post on true line from which a B. Ash 40 in. diam. bears N. 70° W. 26 links dist. & a Poplar 24 " " " S. 25° W. 20 " "
63. 97	A Beech 30 " "
80. 00	Set a Post cor. to Sec. 13 & 24 from which a Hickory 8 in. diam. bears N. 54° W. 12 links dist. & a Chaparral 6 " " " S 34° W. 8 " "
<hr/>	
South	Corrected On East Boundary of Sec 24
21. 37	A B. Ash 8 in. diam.
40. 00	Set a gr. Sec. post on true line from which a W. Oak 27 in. diam. bears N. 2° W. 37 links dist. & a Do 30 " " " S 33° W. 11 " "
66. 30	A W. Oak 34 " " "
80. 00	Set a Post cor. to Sec. 24 & 25 from which an Elm 21 in. diam. bears N. 35° W. 38 links dist. & a W. Oak 22 " " " S. 68° W. 50 " "



T 34 N. R 9 E. 2<sup>nd</sup> Mer. Indiana.

South Corrected on East Boundary of Sec 25

31. 90 A Sugar 36 in. diam.

40. 00 Set a q. Sec. post from which  
a W. Oak 20 in. diam. bears N. 37 W. 52 links dist &  
a Sassafras 14 " " " S. 58 W. 37 " "

68. 26 A W. Oak 18 " "

80. 00 Set a Post cor. to Sec. 25 & 36 from which  
a Hickory 12 in. diam. bears N. 57 W. 45 links dist &  
a Do 15 " " " S. 70 W. 33 " "

South Corrected On East Boundary of Sec 36

21. 77 A W. Oak 16 in. diam.

40. 00 Set a q. Sec. post in Prairie from which  
a W. Oak 16 in. diam. bears North 18.21 links dist &

71. 75 A W. Oak 21 in. diam.

80. 00 Intersect the North Boundary 9 links East of  
the temp. post. Set a Post cor. to Towns 33 & 34  
Ranges 9 & 10 E. Sections 1. 6. 31 & 36 from which  
a W. Oak 21 in. diam. bears S. 58 W. 13 links dist &  
a Do 16 " " " N. 55 E. 10 " "

North Boundary var. 5° 40' E.

Note On South Boundary of Sec 36 T 35 N. R 9 E.

4. 50 Miller Swamp.

5. 50 Seave Do.

25. 75 A W. Oak 14 in. diam.

40. 00 Set a q. Sec. post from which  
a Hickory 6 in. diam. bears N 82 E. 38 links dist &  
a Beech 24 " " " Note 19 " "

51. 31 A Do 27 " "

69. 47 A B. Oak 10 in. diam.

76. 23 Bend of Stream 20 links. S. W.

77. 36 Left it

80. 00 Set a Post cor. to Sec. 35 & 36 from which  
an R. Oak 33 in. diam. bears N. 76 W. 15 links dist &  
a Blumb. Bush 4 in. " " N. 42 E. 5 " "



# T 34 N R 9 E 2<sup>nd</sup> Mer. Indiana.

215

Land level 2<sup>nd</sup> rate. Timber. Beech. Ash & Oak.  
Underg<sup>th</sup> Spice. Ironwood & Sugar.

- West On South Boundary of Sec. 35. T 35 N R 9 E.
5. 22 A Stream 25 links wide. Course N. W.
5. 72 Do 20 " " " S. W.
6. 72 Do 18 " " " N. W.
14. 21 A W. Walnut 10 in. diam.
30. 50 A Sp. Oak 21 " "
40. 00 Set a q. Sec. post from which  
a Burr Oak 18 in. diam. bears N. 31 E. 14 links dist, &  
a W. Oak 36 " " " N 75 W 35 " "
61. 00 A W. Oak 34 " "
80. 00 Set a Post cor. to Sec. 34 & 35 from which  
a W. Oak 20 in. diam. bears N. 38 E. 85 links dist, &  
a Do 18 " " " N. 46 W 47 " "
- Land &c as before.

- West On South Boundary of Sec. 34. T 35 N R 9 E.
14. 61 A W. Oak 10 in. diam.
15. 00 Enter Willow Swamp.
21. 00 Leave same.
27. 54 A W. Oak 12 in. diam.
28. 50 Wet Prairie
38. 00 Leave Do.
40. 00 Set a q. Sec. post from which  
an Aspen 20 in. diam. bears N. 77 E. 86 links dist, &  
an W. Oak 23 " " " N. 47 W. 79 " "
62. 00 An Elm 35 " "
80. 00 Set a Post cor. to Sec. 33 & 34.
- Land as last described.

- West On South Boundary of Sec. 33 T 35 N R 9 E.
14. 11 A Tamarac 10 in. diam.
31. 19 A Poplar 22 in. diam.
40. 00 Set a q. Sec. post from which

T<sup>34</sup> N. R 9 E 2<sup>nd</sup> Mer. Indiana

- a Poplar. 23 in. diam. bears N. 11 E. 42 links dist &  
 a W. Walnut 8 " " " N. 00 W. 23 " "  
 41.72 A Stream 15 links wide. Course N. W.  
 42.84 Do. 16 " " " S. W.  
 43.94 Do 16 " " " N. W.  
 53.00 Willow Swamp & Swamp Prairie.  
 69.00 Leave Do.  
 70.97 A B. Oak 21 in. diam.  
 80.00 Set a Post cor. to Sec. 32 & 33 from which  
 a B. Oak 14 in. diam. bears N. 36 E. 14 links dist &  
 a W. Oak 20 " " " N. 72 W. 32 " "  
 Land &c. as before

- Note On South Boundary of Sec. 32. T<sup>35</sup> N. R 9 E.  
 4. 64 A Burr Oak 20 in. diam.  
 5. 00 Enter Mt. Prairie  
 15. 68 A Stream 80 links wide. Course N. W.  
 29. 73 A Do 14 " " " N. E.  
 40. 00 Set a gr. Sec. post from which (in Prairie)  
 a W. Oak 16 in. diam. bears West 4.32 links dist &  
 44. 00 Leave the Prairie  
 44. 32 A W. Oak 16 in. diam.  
 46. 00 Enter Barrens  
 66. 00 Leave Do.  
 69. 96 A W. Oak 22 in. diam.  
 71. 02 Set a Post on the East side of Lake from which  
 a W. Oak 15 in. diam. bears N. 50 E. 36 links dist &  
 a B. Oak 18 " " " S. 40 E. 30 " "  
 80. 00 The Corner to Sec. 31 & 32 is in the Lake.  
 Land as last described except the Lake & Prairie

- Note On South Boundary of Sec. 31 T<sup>35</sup> N. R 9 E.  
 40. 00 Set a gr. Sec. post on the West side of the Lake  
 from which a  
 B. Oak 26 in. diam. bears N. 74 W. 185 links dist & a  
 W. Oak 24 " " " S. 62 W. 165 " "

217

T 34 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana.

48.50 Enter Mt Prairie  
 70.00 Leave same  
 72.23 A B. Oak 30 in. diam.  
 78.00 Same Prairie  
 80.00 Set a Temp<sup>l</sup> Post cor. to Towns 34 + 35 Ranges 8 + 9  
 East. Sec<sup>l</sup> 1. 6. 31 + 36.  
 The above Lake was offset 19 chains North and  
 returned to true line.  
 Land 3<sup>rd</sup> rate Mt Prairie some scattering,  
 Oak Timber

---

Mt. Boundary var. 5.° 20' E.

North On Random on East Boundary of Sec 36.  
 T 34. N. R. 8 E.  
 40.00 Set a Temp<sup>l</sup> of the Post.  
 65.00 Enter Mt Prairie  
 74.50 Leave same  
 80.00 Set Temp<sup>l</sup> Post. cor. to Sec<sup>l</sup> 25 + 36  
 Land Rolling 2<sup>nd</sup> rate. Barrens with scattering  
 Oak & Hickory. Underg<sup>th</sup> same.

---

North On Random On East Boundary of Sec. 25.  
 T 34. N. R. 8 E.  
 3.00 Enter Mt Prairie.  
 12.15 Leave same  
 40.00 Set a Temp<sup>l</sup> of the Post.  
 80.00 Set a Temp<sup>l</sup> Post cor. to Sec<sup>l</sup> 24 + 25  
 Land be. as before

---

North On Random On East Boundary of Sec. 24  
 T 34 N. R. 8 E.  
 10.00 Enter Mt Prairie  
 22.50 Leave same  
 40.00 Set a Temp<sup>l</sup> of the Post.  
 47.00 M. Wayne Road. Course S E,  
 80.25 Mt Prairie

## T 34 N. R. 9 E. 2nd Mer. Indiana

68.00 Leave the Prairie

80.00 Set a Temp<sup>o</sup> Post cor. to Sec. 13 & 24  
Land &c as before.North On Random On East Boundary of Sec 13  
T 34 N. R. 8 E.40.00 Set a Temp<sup>o</sup> q. Sec. post.80.00 Set a Temp<sup>o</sup> Post cor. to Sec. 12 & 13  
Land &c as before.

North On Random On East Boundary of Sec. 12.

40.00 Set a Temp<sup>o</sup> q. Sec. post.

80.00 Set a " Post Cor. to Sec. 1 &amp; 12

Land &amp;c as before On South bank of Lake.

North On Random On East Boundary of Sec 1  
T. 34 N. R. 9 E.

40.00 q. Sec. corner in Lake.

41.29 Set a Temp<sup>o</sup> post on the North Bank of the Lake  
and enter Prairie.

This Lake was measured by Trigonometry

80.29 Intersect the North Boundary 1 chain & 50 links  
West of the Post.

Land &amp;c except the Lake as before.

South Corrected On East Boundary of Sec 1.  
T 34 N. R. 8 E.39.00 Set a Post on the N E Bank of Lake, from which  
an R. Oak 12 in. diam. bears S. 37 E. 93 lbs. dist 8  
a W. Oak 20 " " " N. 85 E. 147 " "

40.29 Or Sec. Corner in Lake.

80.29 Set a Post on the South Bank of Lake. Corner to Sec.  
1 & 12, from whicha Hickory 10 in. diam. bears S. 42 W. 185 links dist 8  
a W. Oak 30 " " " South 403 " "



South Corrected On East Boundary of Sec. 12.  
T 34 N R 8 E.

16. 07 A B. Oak 26 in. diam?  
41. 00 Set a q. Sec. post from which  
a B. Oak 25 in. diam. bears N. 11 W. 44 links dist &  
a W. Oak 18 " " " S. 79 W 79 " "  
46. 80 a W. Oak 15 " "  
66. 30 A Co. 30 " "  
80. 00 Set a Post cor. to Sec. 12 & 13 from which  
a W. Oak 24 in. diam. bears N. 15 W. 2. 27 links dist &  
a Hickory 7 " " " S 51 W 21 " "

South Corrected On East Boundary of Sec. 13. T 34 N R 8 E.  
25. 14 A W. Oak 30 in. diam?  
40. 00 Set a q. Sec. post from which  
a Burr Oak 35 in. diam. bears S. 75 W. 150 links dist &  
a W. Oak 19 " " " N. 55 E. 65 " "  
54. 62 A W. Oak 18 " "  
75. 70 A B. Oak 4 " "  
80. 00 Set a Post Corner to Sec. 13 & 14 from which  
a W. Oak 20 in. diam. bears N. 41 W. 1. 50 links dist &  
a B. Oak 25 " " " S. 41 W. 1. 30 " "

South Corrected On East Boundary of Sec. 24. T 34 N R 8 E.  
27. 98 A B. Oak 30 in. diam?  
41. 00 Set a q. Sec. post. from which  
a B. Oak 36 in. diam. bears N. 2 W. 1. 33 links dist &  
a W. Oak 30 " " " N 61 E 1. 31 " "  
44. 97 A W. Oak 36 " "  
72. 00 A Co. 34 " "  
80. 00 Set a Post cor. to Sec. 24 & 25 from which  
a W. Oak 36 in. diam. bears N. 38 W 45 links dist &  
a Co. 24 " " " S 15 W. 1. 35 " "

South Corrected On East Boundary of Sec. 25.  
T 34 N R 8 E.



T34 N. R9 E. 2<sup>nd</sup> Mer. Indiana.

- 28.57 A B. Oak 7 in. diam.  
 40.00 Set a q. Sec. post from which  
     a W. Oak 8 in. diam. bears N. 60° W. 75 links dist &  
     a Hickory 7 " " " S. 27° W. 57 " "
- 65.20 A W. Oak 20 " "
- 80.00 Set a Post cor. to Sec. 25 & 36 from which  
     a W. Oak 21 in. diam. bears N. 34° W. 64 links dist &  
     a Do 20 " " " S. 30° W. 103 " "

South Corrected On E. Boundary of Sec 36 T. 34 N. R. 9 E.

- 19.94 A W. Oak 20 in. diam.  
 33.56 A Do 15 " "  
 40.00 Set a q. Sec post from which  
     a B. Oak 19 in. diam. bears N. 60° W. 40 links dist &  
     a Do 6 " " " S. 50° W. 51 " "
- June 18<sup>th</sup> 1829

- 50.80 A W. Oak 28 in. diam.  
 66.78 A Do 8 " "  
 80.04 Intersect the North Boundary 1.50 links East of  
     the Post. Set a Post. Cor. to Towns 33 & 34 Ranges  
     8. & 9 East. Sec. 1. 6. 31 & 36 from which  
     a B. Oak 18 in. diam. bears N. 31° W. 60 links dist &  
     a Hickory 10 " " " S. 1° W. 34 " "
- Surveyed by  
 David Willis D. S.

## Subdivisions

North Between Sec. 35 & 36

- 5.50 Margin of Lake No. 1. on line Set a Post in swamp.  
 15.50 Line leaves Lake. where set post on Margin  
     from which  
     a W. Oak 24 in. diam. bears S. 81° E. 2.20 links dist &  
     a Do 18 " " " N. 24° E. 2.04 " "
- 25.00 A W. Oak 10 " "
- 30.00 Enter Miller Swamp.
- 40.00 Set a q. Sec. post from which (in same near Margin

T 34 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana.

- of Lake No. 2.) Oct 18<sup>th</sup> 1829  
 a Willow 3 in. diam. bears N 82 W 13 links dist &  
 a Co 2 " " " S 17 W 6 " "  
 51. 90 Line bears Lake (2) 321 Post in line, from which  
 a W. Oak 25 in. diam. bears S 79 W 81 links dist &  
 a Co 25 " " " N 38 E 74 " "  
 71. 00 A Stream 85 links wide. Course N W.  
 74. 15 Same 85 " " " S W.  
 76. 50 A Pin Oak 20 in. diam.  
 80. 00 Set a Post cor. to Sec. 25. 26 35 & 36 from which  
 a Buck 18 in. diam. bears N 54 W 20 links dist &  
 a Co 14 " " " S 64 E 44 " "  
 Land Rolling 3<sup>rd</sup> rate. thinly timbered. with  
 Pin. & W. Oak. & Willow. 2<sup>nd</sup> & 3<sup>rd</sup> mile. Burr. Oak.  
 Red Elm. & B. Ash. thickly timbered  
 Oct 21<sup>st</sup> 1829

- East On Range between Sec. 26 & 35.  
 9. 60 A Stream 90 links wide. Course North  
 37. 00 Enter Swamp  
 40. 00 Set a Temp<sup>y</sup> q. Sec. post in the swamp.  
 41. 00 Left the Swamp.  
 52. 50 A Brook 6 links wide. Course N.  
 79. 33 Intersect the E. Boundary 41 chas South of Post.  
 Land Rolling 2<sup>nd</sup> rate. Timber. Hickory,  
 W. & R. Oak. Buck & Elm.

- West Corrected between Sec. 25 & 36  
 39. 66 1/2 Set a q. Sec. post at aver. dist from which  
 a W. Oak 18 in. diam. bears N 44 W 21 links dist &  
 a Co 14 " " " S 72 W 52 1/2 " "  
 79. 33 To Sec. corner. Oct 21<sup>st</sup> 1829.

- North Between Sec. 25 & 26  
 16. 00 To a Blue Ash 30 in. diam.  
 40. 00 Set a q. Sec. post from which.

# T 34 N. R 9 E. 2nd Mer. Indiana

a Red Elm 3 in. diam. bears N. 50 E. 10 1/2 links dist.  
 a W. Elm 15 " " " S 50 W 21 1/2 " "  
 40. 10 An Ironwood 8 " "  
 57. 60 A Stream 40 links wide. Course N. W.  
 75. 60 A Do 25 " " " North  
 76. 35 Do 25 " " " N. W.  
 80. 00 Set a Post cor to Sec. 23. 24. 25 & 26 from which  
 a Blue Ash 24 in. diam. bears N. 71 W. 35 links dist.  
 a Beech 22 " " " S. 59 E. 24 " "  
 Land rolling 2nd rate. Timber. Beech. White  
 & Red Oak. Blue Ash. Ironwood. &c.  
 Oct 21<sup>st</sup> General current of the above Stream  
 sluggish.

East On Random between Sec. 24 & 25  
 10. 00 A Stream 25 links wide. Course N. W.  
 11. 50 Do 20 " " " S W.  
 30. 00 Enter Prairie  
 39. 90 Leave same. A Stream 20 links wide. Cr. N.  
 40. 00 Set a Temp. g. Sec post in middle of Stream.  
 41. 50 A Stream 20 links wide. Course West.  
 78. 50 Intersect the E. Boundary 38 links North of Post.  
 Land rolling 2nd rate. Timber. Sugar. Beech  
 Ironwood. Oak. Chaparral. L. Ash.

West Corrected between Sec. 24 & 25  
 2. 53 A White Hickory 20 in. diam.  
 39. 25 Set a g. Sec post at a cr. dist. from which  
 a White Elm 7 in. diam. bears N. 74 E. 10 links dist.  
 a Do " 8 " " " N. 62 E. 1. 25 " "  
 75. 12 A Red Elm 15 " "  
 78. 50 To Sec. corner

North Between Sec. 23 & 24  
 4. 50 A Brook 10 links wide. Course West.  
 26. 12 A W. Elm 14 in. diam.

## T 34 N. R 9 E 2nd Mer. Indiana

40. 00 Set a g. the post from which tree is a  
 Hickory 2 in. diam. from which  
 a B. Ash 4 " " bears N 36 W 12 links dist &  
 an R. Oak 3 1/2 " " " S 64 W 10 1/2 " "
53. 10 A W. Oak 10 " "
55. 50 Enter Prairie
60. 50 Left the same
74. 00 Enter Prairie (in Prairie)
80. 00 Set a Post cor. to Sec. 13. 14. 23 & 24. from which  
 a W. Oak 20 in. diam. bears North 195 links dist &  
 a Bk. Hickory 10 in. " " S. 42 W. 171 " "  
 Land rolling & rate. Timber W. Oak. scrubby,  
 Bk. Ash &c. Underg<sup>th</sup> P. Ash. Sassafras. &c.

- East On Random between Sec. 13 & 24.
2. 50 To Margin of Pond.
17. 00 Leave the Pond.
40. 00 Set a dump<sup>d</sup> g. the post.
78. 50 Intersect N & S line or East Boundary 112 links  
 North of the Post  
 Land level & rate. Timber W. & R. Oak. & Elm.  
 Underg<sup>th</sup> P. Ash Sassafras. &c.

- West Connected between Sec. 13 & 24
30. 00 A W. Oak 30 in. diam.
39. 25 Set a g. the post at over dist from which  
 a Linn 18 in. diam. bears N 64 W. 23 links dist &  
 a Do 18 " " " S. 24 W. 7 " "
54. 25 A White Poplar 18 in. diam.
62. 25 Oct 22<sup>d</sup> 1829
78. 50 To Sec. corner

- North Between Sec. 13 & 14
25. 67 A Hickory 14 in. diam.
40. 00 Set a g. the post from which  
 a W. Oak 12 in. diam. bears N 14 W 7 links dist &



## T 34 N. R. 9. E. 2nd Mer. Indiana.

a Hickory 8 in. diam. bears S. 61 E. 12 lks. dist.  
 48.30 A Blk Oak 20 " " "  
 80.00 Set a Post cor. to Sec. 11. 12. 13 & 14 from which  
 a W. Oak 2 in. diam. bears S. 45 W. 34 links dist &  
 a Blk Oak 24 " " " S. 00 E. 53 " "  
 Land gently rolling 2<sup>nd</sup> rate. thinly timbered  
 with White Blk & Red Oak. & scrubby Black  
 Hickory, &c.

East On Random between Sec. 12 & 13  
 40.00 Set a Temp<sup>l</sup> of Sec. post.  
 50.00 A Run 4 links wide. Course South  
 79.00 Intersect the East Boundary 2.07 links North  
 of the Post. Land rolling 2<sup>nd</sup> rate. and thinly  
 timbered with Oak, Elm. Blue Ash & Hickory.  
 Underg<sup>th</sup> Plum. Wild Rose &c.

West Connected between Sec. 12 & 13  
 39.50 Set a gr. Sec post at aver. dist from which  
 an R. Elm 12 in. diam. bears S. 5 W. 33 links dist &  
 a Hickory 13 " " " N. 35 W. 13 " "  
 79.00 To Sec. Corner

North Between Sec. 11 & 12  
 4.50 Enter Prairie  
 11.50 Leave same.  
 28.72 A W. Oak 30 in. diam.  
 40.00 Set a gr. Sec post from which  
 a Blk Oak 5 in. diam. bears S. 34 W. 75 lks. dist &  
 a Do 6 " " " N. 28 W. 23 1/2 " "  
 44.80 A Black Oak 6 in. diam.  
 68.95 A W. Oak 12 " " "  
 80.00 Set a Post cor. to Sec. 1. 2. 11 & 12 from which  
 a Poplar 24 in. diam. bears N. 59 W. 18 links dist &  
 a Hickory 8 " " " N. 76 E. 21 " "  
 Land 1/2 mile 3<sup>rd</sup> rate. Rolling Barrens. a few



T 34 N. R. 9. E. 2<sup>nd</sup> Mer. Indiana

scattering Oaks &c. Underg<sup>th</sup> Sassafras. Oak. &c.  
 Last 1/2 mile 2<sup>nd</sup> rate land. gently rolling. Timber  
 White & R<sup>e</sup> Oaks no Underg<sup>th</sup>

- East On Random between Sec<sup>s</sup> 1 & 2  
 5. 04 Enter Prairie  
 16. 50 Leave same  
 40. 00 Set a Temp<sup>l</sup> & go Sec<sup>s</sup> post.  
 65. 00 A Brook 4 links wide. Course North  
 80. 00 Intersect the East Boundary 2.89 links North of Post.  
 Land level 2<sup>nd</sup> rate part Prairie. Ballance thinly  
 timbered with Oak. Elm & Hickory Underg<sup>th</sup>  
 Wild Rose Waste, Plum. Sassafras &c.

- West Corrected between Sec<sup>s</sup> 1 & 2  
 40. 00 Set a gr. Sec<sup>s</sup> post on true line from which  
 a W. Oak 10 in. diam. bears N 38 E 77 links dist. &  
 a no other tree near.  
 80. 00 To Sec. Corner. Oct. 24<sup>th</sup> 1829

- North Between Sec<sup>s</sup> 1 & 2  
 6. 58 A W. Oak 18 in. diam.  
 40. 00 Set a gr. Sec<sup>s</sup> post from which  
 an R<sup>e</sup> Elm 14 in. diam. bears N. 88 W. 35 links dist.  
 & a W. Walnut 4 " " " S 75 E 19 1/2 " "  
 61. 67 A Blk Ash 18 " "  
 72. 86 A Branch 20 links wide. Course S W.  
 75. 90 Intersect the North Boundary 100 links E. of  
 the Post where set a Post cor. to Sec<sup>s</sup> 1 & 2 from which  
 a W. Poplar 36 in. diam. bears S. 72 E. 15 links dist. &  
 a Beech 8 " " " S 63 W 22 " "  
 Land level 1<sup>st</sup> rate, thickly timbered with  
 W. & B. Walnut. Sugar. Blue Ash. Poplar. Beech  
 &c. &c. Oct. 25<sup>th</sup> 1829.

North Between Sec<sup>s</sup> 34 & 35.

T 34 N. R 9 E 2<sup>nd</sup> Mer Indiana

2. 70 Red Oak 24 in. diam.  
 40. 00 Set a q. Sec post from which  
 a Burr Oak 30 in. diam. bears N. 23 W. 21 links dist &  
 a Blk. Oak 30 " " " S 88 W 43 " "  
 50. 00 A White Oak 15 " "  
 80. 00 Set a Post cor. to Sec. 26, 27, 34 & 35 from which  
 a Poplar 28 in. diam. bears S 23 W 15 links dist &  
 a Red Oak 36 " " " S. 78 E. 34 " "  
 Land 2<sup>nd</sup> rate & gently rolling. Timber. W. & R.  
 Oak. Ash. Poplar. &c.

- East On Random between Sec. 26 & 35  
 2. 90 A Brook 5 links wide. course S W  
 40. 00 Set a Temp. q. Sec post  
 80. 32 Intersect the N & S line 43 links South of the Brook.  
 Land level. 4<sup>th</sup> rate. Well timbered with Walnut.  
 Ash. & Elm. & Buck.

- West Corrected between Sec. 26 & 35  
 40. 16 Set a q. Sec. post at a rec. dist. from which  
 a Blue Ash 6 in. diam. bears S. 9 E. 12 links dist &  
 a Spruce 15 " " " N 6 W. 22 " "  
 80. 32 To Sec. Corner

- North Between Sec. 26 & 27  
 5. 71 A W. Oak 20 in. diam.  
 28. 94 A Hickory 24 " "  
 40. 00 Set a q. Sec post from which  
 a Hickory 18 in. diam. bears S 65 E. 24 links dist &  
 a Gapefras 12 " " " N 9 W. 19 " "  
 77. 05 A Poplar 48 " "  
 80. 00 Set a Post cor. to Sec. 22, 23, 26 & 27 from which  
 a W. Oak 20 in. diam. bears N. 87 E. 48 links dist &  
 an Elm 20 " " " S. 56 E. 21 " "  
 Land Rolling 2<sup>nd</sup> rate. Timber W. & R. Oak.  
 Ash. Hickory. Gapefras. &c.

# 227

## T 34 N. R 9 E 2nd Mer. Indiana

East On Random between Sec. 23 & 26  
 40.00 Set a temporary Post for q. Sec.  
 70.00 A Stream 75 links wide. Course N.  
 81.45 Intersect N & S line at Post.

---

West Corrected between Sec. 23 & 26  
 40 72 1/2 Set a q. Sec. post at aver. dist from which  
 a Hickory 15 in. diam. bears N 47 W. 33 links dist &  
 a Chestnut 4 " " " S 9 E. 10 " "  
 81.45 To Sec. Corner  
 Land Rolling 2nd rate. & Samaras Swamp.  
 Timber W. & R. Oak, Ash, &c.  
 Oct 26<sup>th</sup> 1829.

---

North Between Sec. 22 & 23  
 11.50 A W. Oak 36 in. diam.  
 15.00 A Stream 75 links wide. Course West.  
 40.00 Set a q. Sec. post from which  
 a Hickory 15 in. diam. bears S 80 W. 21 links dist &  
 a Do 16 " " " N 35 E. 31 " "  
 55.50 A Burr Oak 13 in. diam.  
 80.00 Set a Post cor. to Sec. 14. 15 22 & 23 from which  
 a W. Oak 15 in. diam. bears N 55 W. 168 links dist &  
 a Bth. Oak 13 " " " S. 75 W. 178 " "  
 Land rolling 2nd rate. & thinly timbered with  
 W. & R. Oak. Hickory, &c.

---

East On Random between 14 & 23  
 25.50 Enter Prairie  
 30.50 A Brook 8 links wide. Course South.  
 35.50 Leave the Prairie  
 40.00 Set a tempo q. Sec. Post.  
 78.77 Intersect the N & S line 37 links South of the Post  
 Land rolling 2nd rate. East Prairie Ballance  
 thinly timbered with White & Red Oak.

---

## J &amp; A. R. &amp; E. Draher. Indiana.

Note Connected between Sec. 14 & 23  
 39. 38½ Set a g. & c. post at aver. dist. from which  
 a W. Oak 36 in. diam. bears N. 35 W. 29 links dist. &  
 a Do. 30 " " " S 8 W 28 " "  
 78. 77 To the corner

North Between Sec. 14 & 15  
 16. 55 A Hickory 16 in. diam.  
 36. 57 Enter Prairie  
 40. 00 Set a g. & c. post from which  
 a W. Oak 18 in. diam. bears N. 42 W. 322 links dist. &  
 a Do 24 " " " N 64 W 408 " "  
 49. 50 Left Prairie  
 68. 00 A Blk. Ash 20 in. diam.  
 80. 00 Set a Post cor. to Sec. 10 11 14 & 15 from which  
 a Burr Oak 14 in. diam. bears S 76 E 53 links dist. &  
 a W. Oak 18 " " " N. 80 W. 71 " "  
 Land rolling & 2<sup>nd</sup> note. thinly timbered with W. Blk  
 and Burr Oak Red Oak &c Past Prairie.

East On Random between Sec. 11 & 14  
 40. 00 Set a Vimp. g. & c. post  
 48. 00 Enter Prairie  
 57. 50 Left the same  
 81. 28 Intersect the N & S line 41 links South of the Post.  
 Land &c. same as last mile Past Prairie.

Note Connected between Sec. 11 & 14  
 40. 64 Set a g. & c. post at aver. dist. from which  
 a W. Oak 16 in. diam. bears N. 65 E. 9 links dist. &  
 a Do 13 " " " N. 30 W. 29 " "  
 81. 28 To the corner Oct 27<sup>th</sup> 1829.

North Between Sec. 10 & 11  
 27. 50 Enter Prairie. no station trees on line.  
 40. 00 Set a g. & c. post in Prairie from which



## T 34 N. R 9 E Ind. Mer. Indiana

- a W. Oak 24 in. diam. bears S. 75 E. 21 links dist. &  
 a Do. 20 " " " N 64 W. 24 " "  
 56.00 Left the Prairie  
 75.67 A Red Oak 18 in. diam.  
 80.00 Set a Post cor. to Sec. 2. 3. 10 H1 from which  
 a W. Oak 20 in. diam. bears S. 38 W. 38 links dist. &  
 a Do. 24 " " " S. 45 E. 59 " "  
 Land rolling 3<sup>rd</sup> rate. & thinly timbered with W. &  
 Red Oak. Part Prairie &c.

- East On Random between Sec. 2 H1  
 40.00 Set a Temp. q. the post  
 80.64 Intersect the N & S line 80 links South of the Post.  
 Land 2<sup>nd</sup> rate. gently rolling. Timber. W. & R. Oak.  
 Blk Oak. some Walnuts &c.

- West Corrected between Sec. 2 H1  
 40.33 Set a q. the post from which  
 a Hickory 12 in. diam. bears N. 42 W. 33 links dist. &  
 a W. Oak 20 " " " S. 34 E. 64 " "  
 80.64 To Sec. corner

- North Between Sec. 2 & 3  
 23.40 A Syc. 18 in. diam.  
 40.00 Set a q. the post. from which  
 a White Elm 5 in. diam. bears S. 83 E. 22 links dist. &  
 a Do. Do. 10 " " " S. 62 W. 15 " "  
 61.36 A Sycamore 18 " "  
 76.62 Intersect the North Boundary 2 chains & 12 links  
 West of the Post. where set a Post cor. to Sec. 2 & 3  
 from which  
 a Syc. 16 in. diam. bears S. 35 W. 28 links dist. &  
 a Hickory 9 " " " S. 30 E. 27 " "  
 Land 1<sup>st</sup> 1/4 mile rolling. Thinly timbered with  
 W. & R. Oak. soil 3<sup>rd</sup> rate. Last 1/4 of mile level 1<sup>st</sup> rate.  
 Timber. Hickory. Walnut Elm. Sugar Syc. &c. Oct 28<sup>th</sup>



## T 34 N. R. 9. E. 2nd Mer. Indiana

North Between Sec. 33 &amp; 34

3. 50 Enter Mt Prairie

15. 00 Left the same

23. 25 A Blk. Oak 20 in. diam.

40. 00 Set a q. the post from which

a W. Oak 20 in. diam. bears N. 74 W. 175 links dist &amp;

a Do 24 " " " S 82 E 164 " "

48. 50 Enter Mt Prairie

80. 00 Set a Post cor. to Sec. 27 28. 33 &amp; 34 in edge of the Prairie, from which

a W. Oak 36 in. diam. bears N. 53 E. 64 links dist &amp;

a Do 40 " " " N. 77 W. 250 " "

Land rolling 3<sup>rd</sup> rate. thinly timbered with W. & B. Oak &c. scrubby. Part mt Prairie.

East On Random between Sec. 27 &amp; 34

40. 00 Set a Timp's q. the post.

79. 41 Intersect the N &amp; S line 45 links South of the Post.

Land 2<sup>nd</sup> rate. & rolling. thinly timbered withW. & B. Oak &c. The other 1/2 mile Rolling 1<sup>st</sup> rate.

timbered with Poplar. W. &amp; Red Oak. Blue Ash with scattering Walnut &amp;c.

West Connected between Sec. 27 &amp; 34

39. 70 1/2 Set a q. the post at aver. dists from which

a Hickory 20 in. diam. bears N 7 W 8 links dist &amp;

a W. Oak 30 " " " S. 53 E 69 " "

79. 41 To the Corner

North Between Sec. 27 &amp; 28

19. 44 A W. Oak 20 in. diam.

26. 00 Enter Swamp

33. 00 Leave same

40. 00 Set a q. the post from which

a W. Oak 30 in. diam. bears N. 81 E. 35 links dist &amp;

a Do 14 " " " N 82 E 20 " "

58.70 A Hickory 12 in. diam.  
 80.00 Set a Post cor. to Sec. 21. 22 27 & 28 from which  
 a Hickory 13 in. diam. bears N. 72° E. 59 links dist. &  
 a W. Oak 40 " " " S. 82° W. 56 " "  
 Land rolling 2nd rate. Timber. White. Black. & Red  
 Oak. Hickory &c.

East On Random between Sec. 22 & 27  
 29.58 A Brook 5 links wide. Course N. W.  
 40.00 Set a Temp. post  
 51.00 A Brook 8 links wide. Course North  
 69.00 A Stream 58 " " " "  
 70.50 A Do 60 " " " " South  
 79.50 Intersect the N & S line 63 links South of the Post.  
 Land rolling 1st rate. Timber. W. & R. Oak.  
 Ash. Hickory. Walnut Sugar &c  
 Oct. 29th 1829

West Corrected between Sec. 22 & 27  
 39.75 Set a gr. Sec post at aver. dist. from which  
 a Black Ash 8 in. diam. bears N. 32° W. 9 links dist. &  
 a Do Do 6 " " " S. 18° E. 20 " "  
 79.50 To Sec. corner.

North Between Sec. 21 & 22  
 15.50 Enter Swamp  
 24.00 Leave the same  
 24.20 A Brook 4 links wide. Course S. E.  
 38.91 A Hickory 13 in. diam.  
 40.00 Set a gr. Sec post from which  
 a Red Elm 15 in. diam. bears S. 33° W. 32 links dist. &  
 a Burr Oak 20 " " " N. 23° W. 18 " "  
 57.00 A Brook 8 links wide. Course E.  
 66.73 A Blk Oak 18 in. diam.  
 74.70 A Stream 70 links wide. Course W.  
 74.90 Enter Prairie.

## T34 N. R. G. E. Ind. Men Indiana

80. 00 Set a Post in Prairie cor. to Sec. 15. 16. 21 & 22 where raised a Mound.

Land Rolling 1<sup>st</sup> rate. Timber. W. & R. Oak. Burr Oak. Walnut. Ash. Birch. &c Part met Prairie

East On Random between Sec. 15 & 22

11. 00 A Stream 50 links wide. Course South

18. 73 Do 60 " " " North.

25. 00 Left the Prairie

40. 00 Set a Temp. g. the Post.

79. 77 Intersect the N & S line 38 links North of Post.  
Land rolling 2<sup>nd</sup> rate. Timber. White. Black.  
and Burr Oak. Hickory &c. 1 1/4 of mile met  
Prairie

Note Corrected between Sec. 15 & 22

39. 88 1/2 Set a g. the Post at a rec. dist. from which  
a W. Oak 12 in. diam. bears N. 84 E. 8 links dist. &  
a Red Oak 9 " " " S. 40 W. 3 " "

79. 77 to the corner

North Between Sec. 15 & 16

24. 50 Left the Prairie

24. 78 W. Oak 40 in. diam.

40. 00 Set a g. the Post from which

a W. Oak 36 in. diam. bears N. 26 W. 42 links dist. &  
a Co 13 " " " S. 79 E. 43 " "

46. 70 A W. Oak 20 in. diam. & Enter Prairie

60. 79 A Brook 4 links wide. Course West

66. 50 Do 6 " " " East.

70. 00 Leave the Prairie

80. 00 Set a Post cor. to Sec. 9. 10. 15 & 16 from which  
a Red Oak 20 in. diam. bears N. 84 W. 42 links dist. &  
a W. Oak 6 " " " S. 57 E. 57 " "

Land Rolling 2<sup>nd</sup> rate. Timber. W. & B Oak & Hick.  
Part Prairie.)

Oct 30<sup>th</sup> 1829

Prin. A.

# 233

## S 34 N R. 9. E. 2nd Mer. Indiana.

East On Random between Sec. 10 & 15.  
 25. 00 Enter Prairie  
 30. 50 Leave same.  
 40. 00 Set a Temp. & g. Sec. post  
 50. 50 Intersect the N & S line at Post.  
 Land rolling & rate. Timber. W. Blk. & Burr Oak  
 Hickory &c. Part wet Prairie

West Corrected between Sec. 10 & 15.  
 40. 25 Set a g. Sec. post from which  
 a W. Oak 20 in. diam. bears N. 31 E. 68 links dist. &  
 a Blk Oak 10 " " " S. 34 W. 45 " "  
 50 50 To Sec. corner

North Between Sec. 9 & 10  
 18. 00 A Brook 6 links wide. Course N.  
 23. 23 A W. Oak 20 in. diam.  
 30. 00 Enter Swamp.  
 40. 00 Set a g. Sec. post in Prairie. from which  
 a Tamarac 5 in. diam. bears N. 50 W. 1. 40 links dist. &  
 a Do. 4 " " " S. 87 E. 68 " "  
 42. 00 Left the swamp.  
 54. 68 A W. Oak 15 in. diam.  
 80. 00 Set a Post cor. to Sec. 3. 4. 9 & 10 from which  
 a W. Oak 17 in. diam. bears S. 45 W. 57 links dist. &  
 a Do 20 " " " N. 12 E. 3. 28 " "  
 Land rolling & rate. Timber. W. & Blk. Oak. &c.  
 Part Tamarac swamp. Tamarac timber in it.

East On Random between Sec. 3 & 10  
 31. 00 Enter Prairie  
 35. 40 A Brook 4 links wide. Course South.  
 38. 50 Left Prairie  
 40. 00 Set a Temp. & g. Sec. post.  
 81. 00 Intersect the N & S line 26 links North of the Post.  
 Land rolling & rate. Timber. W. & B. Oak. Some Hick. Part Prairie



# T<sup>h</sup> 4. N. R. 9 & 2<sup>nd</sup> Mer. Indiana.

West Corrected between Sec! 3 & 4  
 40. 50 Set a g. Sec post at aver. dist from which  
 a W Oak 12 in. diam. bears S. 9 W. 24 links dist &  
 a Do 36 " " " N. 20 E. 77 " "  
 81. 00 To Sec. corner Oct 31<sup>st</sup> 1829.

North Between Sec! 3 & 4  
 11. 50 Enter Prairie  
 28. 00 Leave the same  
 28. 03 A Blk. Oak 24 in. diam.  
 40. 00 Set a g. Sec post from which  
 a W Oak 20 in. diam. bears S. 11 W. 33 links dist &  
 a Do 20 " " " N. 49 E. 30 " "  
 53. 76 A Blk. Oak 18 in. diam.  
 75. 50 Intersect the North Boundary 3.44 links West.  
 of the Post. where set a Post cor. to Sec! 3 & 4.  
 from which  
 a Poplar 24 in. diam. bears S. 46 W. 1.22 links dist &  
 a Red Oak 40 " " " N. 44 E. 1.53 " "  
 Land 1/3 of mile 3<sup>rd</sup> rate Rolling. Timber W. & Blk  
 Oak, 2<sup>nd</sup> 1/3 1<sup>st</sup> rate level. gently rolling. Timber  
 Red Oak. Lynn Poplar. Walnut Ash. &c.  
 Underg<sup>th</sup> Spice. &c. Nov. 1<sup>st</sup> 1829

North Between Sec! 32 & 33  
 21. 27 A W Oak 24 in. diam.  
 40. 00 Set a g. Sec post. from which  
 a Blk. Ash 14 in. diam. bears S. 27 E. 27 links dist &  
 a Lynn 30 " " " West 14 " "  
 56. 77 A Hickory 15 " "  
 80. 00 Set a Post cor. to Sec! 28. 29. 32 & 33 from which  
 a Beech 24 in. diam. bears N. 61 E. 23 links dist &  
 a Blue Ash 4 in. " " S. 70 E. 24 " "  
 Land gently rolling 1<sup>st</sup> rate. Timber Beech, Ash  
 Walnut, Poplar. Hickory. Red Oak. Lynn &c.  
 Underg<sup>th</sup> Spice & Sassafras. Nov. 2<sup>nd</sup> 1829.

235

T 34 N R 9 E 2<sup>nd</sup> Mer. Indiana.

East On Random between Sec? 28 & 33  
 40. 00 Set a Temp? gr. Sec. post.  
 40. 00 Enter Prairie  
 80. 00 Intersect the N & S line on Post.  
 Land 1<sup>st</sup> 1/2 mile Rolling 1<sup>st</sup> rate. Timber, Ash Walnut,  
 Sugar. Elm. Spruce. &c. Undergr<sup>th</sup> Spice & Sassafras.  
 2<sup>nd</sup> 1/2 mile net Prairie.

---

West Between Sec? 28 & 33  
 40. 00 Set a gr. Sec. post. on true line from which  
 a Blk Oak 14 in. diam. bears S 10 E 54 links dist &  
 a Do. 12 " " " N 12 E 24 " "  
 80. 00 to Sec. corner

---

North Between Sec? 28 & 29  
 15. 27 A Sugar 38 in. diam?  
 40. 00 Set a gr. Sec. post from which  
 a Blk Ash 8 in. diam. bears N 75 E 13 links dist &  
 a W. Elm 10 " " " S 29 E 14 " "  
 42. 00 Enter Prairie  
 67. 00 Left same  
 71. 00 A W. Oak 30 in. diam?  
 80. 00 Set a Post cor. to Sec? 20. 21. 28 & 29 from which  
 a W. Oak 30 in. diam. bears S 44 E 36 links dist &  
 a Do 140 " " " N 44 E 10 " "  
 Land 1<sup>st</sup> 1/2 mile gently rolling. soil 1<sup>st</sup> rate. Timber  
 Sugar. Beech, Ash. Walnut. Red Oak. Poplar &c.  
 Undergr<sup>th</sup> Spice &c. Last 1/2 mile 2<sup>nd</sup> rate Rolling  
 Timber W. & B. Oak.

---

East On Random between Sec? 21 & 28  
 12. 50 Enter Prairie  
 22. 00 Leave the same.  
 20. 38 A Brook 6 links wide. Course North.  
 40. 00 Set a Temp? gr. Sec. post.  
 80. 50 Intersect the N & S line 6 links North of the Post.



T 34 N. R 9 E 2<sup>nd</sup> Mer. Indiana.

237

39. 95 Set a gr. Sec post at aver. dist. from which  
a W. Oak 24 in. diam. bears N. 80 E. 178 links dist. &  
a Do 20 " " " S. 19 N. 195 " "

79. 90 To the corner

North Between Sec. 16 & 17

40. 00 Set a gr. Sec post. from which  
a Willow 12 in. diam. bears N. 45 W. 12 links dist. &  
a W. Elm 6 " " " N. 24 E. 102 " "

43. 73 A Stream 75 links wide. Course W.

51. 50 Leave the Prairie

53. 23 A Blk. Oak 26 in. diam.

60. 00 Set a Post cor. to Sec. 8. 9. 16 & 17 from which  
a W. Oak 24 in. diam. bears S. 52 E. 114 links dist. &  
a Blk Oak 12 " " " S. 6 W. 45 " "  
Land level 3<sup>rd</sup> rate. Timber. W. & B. Oak &c. Past  
Met Prairie

East On Random between Sec. 9 & 10

40. 00 Set a Temp.<sup>ry</sup> gr. Sec post

45. 18 A Brook 5 links wide. Course South.

79. 68 Intersect the N & S line 100 links North of the Post.  
Land rolling 3<sup>rd</sup> rate. Timber. W. & B. Oak &c.

West Corrected between Sec. 9 & 10

39. 84 Set a gr. Sec post at aver. dist. from which  
a W. Oak 12 in. diam. bears N. 52 E. 28 links dist. &  
a Blk Oak 24 " " " S. 52 W. 22 " "

79. 68 To the corner

North Between Sec. 8 & 9

2. 41 A Stream 90 links wide. Course East.

22. 00 Enter Met Prairie

40. 00 Set a gr. Sec post from which in Prairie.  
Land too wet & swampy to raise a mound.  
November 5<sup>th</sup> 1829.



## T 34 N R 9 E 2nd Mer. Indiana

- 42.00 A Stream 90 links wide. Course West  
 47.50 Do 100 " " " East.  
 50.00 Set a Post cor. to Sec. 4. 5. 8 & 9 from which  
 and raised a Mound.  
 Land 1 $\frac{1}{4}$  mile. rolling 3<sup>rd</sup> rate. Barren Oakridge  
 Ballance net Prairie.
- 
- East On Random between Sec. 4 & 9  
 7.00 A Stream 100 links wide. Course North,  
 where left the Prairie.  
 40.00 Set a Temp. g. the Post.  
 60.00 Enter Mt. Prairie  
 79.50 Intersect the N 4 S line 1.25 links North of Post.  
 Land rolling 3<sup>rd</sup> rate. Timber. Black & White Oak.  
 Post net Prairie.
- 
- West Corrected between Sec. 4 & 9  
 39.75 Set a g. the Post at aver. dists from which  
 a Burr Oak 18 in. diam. bears N. 26 E. 198 links dist. &  
 a W. Oak 10 " " " N. 6 W. 42 " "  
 79.50 To Sec. corner
- 
- North Between Sec. 4 & 5.  
 13.00 A Stream 150 links wide. Course N. W. & leave Prairie  
 25.72 A Blk. Oak 18 in. diam.  
 40.00 Set a g. the Post from which  
 a W. Oak 8 in. diam. bears N. 46 E. 103 links dist. &  
 a Do 18 " " " N. 73 E. 109 " "  
 62.23 A W. Oak 36 in. diam.  
 73.00 Intersect the North Boundary 2.74 links West  
 of the Post where set a Post cor. to Sec. 4 & 5 from which  
 a W. Gum 8 in. diam. bears S. 53 E. 27 links dist. &  
 a W. Oak 14 " " " S. 82 W. 88 " "  
 Land gently rolling 3<sup>rd</sup> rate. Timber. W. & B Oak  
 Post net Prairie.

# T 34 N. R 9 E. 2<sup>nd</sup> Mer. Indiana.

239

North Between Secs 31 & 32

23. 73 A W. Oak 30 in. diam.

40. 00 Set a gr. Sec post from which  
a Burr Oak 4 in. diam. bears N. 54 E. 76 links dist. &  
a Do 5 " " " S 11 E 1.62 " "

71. 50 A W. Oak 30 " "

80. 00 Set a Post cor. to Secs 29, 30, 31 & 32 from which  
a Blk. Oak 13 in. diam. bears N 61 E 45 links dist. &  
a W. Oak 20 " " " S 67 W 94 " "

Land gently rolling. 3<sup>rd</sup> rate Barrens. Timber. Black,  
White & Burr Oaks, scarce.

East On Random between Secs 29 & 32.

40. 00 Set a stem p. gr. Sec post.

79. 80 Intersect the N & S line 63 links South of the Post.  
Land rolling 1<sup>st</sup> rate. Timber. Walnut Ash & Sugar  
Beech. W. Oak. B Oak. B Hickory. Undergr<sup>th</sup>  
Sassafras. Grape vines. &c.

West Corrected between Secs 29 & 32

39. 90 Set a gr. Sec post at aver. dist. from which  
a W. Oak 30 in. diam. bears S 20 E. 35 links dist. &  
a Lynn 30 " " " N 71 W 18 " "

79. 80 To Sec. corner

West Between Secs 30 & 31

40. 00 Set a gr. Sec post from which  
a Blk Oak 4 in. diam. bears N. 50 W 13 links dist. &  
a Do. 3 " " " N 6 W 19 " "

49. 50 A Burr Oak 18 " "

60. 00 Enter Wet Prairie

75. 00 Left the same

77. 00 Intersect the West Boundary 95 links North  
of the Post. Set a Post Cor. of Secs 30 & 31 from which  
a W. Oak 24 in. diam. bears N. 30 E. 39 links dist. &  
a Do 14 " " " S 45 E 26 " "

## T 34 N. R 9 E 2nd Mer. Indiana

Land gently rolling 3<sup>rd</sup> rate Barrens. Scattering W. & Burr Oak. Part wet Prairie

North Between Sec. 29 & 30

40.00 Set a g. Sec. post. from which  
a Sugar. 20 in. diam. bears N 53 E 14 links dist &  
a Pin Oak 24 " " " N. 59 E 28 " "

59.55 A Blk Walnut 7 in. diam.

80.00 Set a Post cor. to Sec. 19. 20. 29 & 30 from which  
a Blue Ash 12 in. diam. bears N 45 W. 56 links dist &  
a Red Oak 30 " " " S. 31 E. 70 " "

Land. 1<sup>st</sup> 1/2 mile 2<sup>nd</sup> rate. Rolling. Timber. White  
Black & Red Oak. Last 1/2 mile 1<sup>st</sup> rate land, gently  
rolling. Timber. Sugar. Walnut, Lymn. Ash.  
Hackberry, Oak.

East On Random between Sec. 20 & 29.

40.00 Set a Temp. g. Sec. post.

80.11 Intersect N & S. line 49 link South of the Post.  
Land rolling 3<sup>rd</sup> rate. Timber. White & Blk Oak.  
Nov. 7<sup>th</sup> 1829

West Connected between Sec. 20 & 29

40.05 Set a g. Sec. post at aver. dist from which  
a Hackberry 4 in. diam. bears N. 35 W. 11 links dist &  
a W. Oak 40 " " " N 87 E 23 " "

80.11 To Sec. Corner

West Between Sec. 19 & 30

12.49 A W. Oak 42 in. diam. bears

32.01 Enter Prairie

40.00 Set a g. Sec. post in edge of Prairie from which  
a Blk Oak 40 in. diam. bears S. 47 W. 71 links dist &  
a W. Oak 24 " " " N. 50 E. 51 " "

59.23 A W. Oak 36 " "

77.70 Intersect the West Boundary 171 links South of Post.



241

T 34 N. R 9 E 2nd Mer. Indiana.

where set post. Cor. to Sec. 19 & 20 from which  
 a W. Oak 24 in. diam. bears S 47 E 197 links dist. &  
 a Do. 20 " " " N. 82 E. 2. 21 " "  
 Land very rolling & note. Timber. White & Blk. Oak.  
 Part wet Prairie

North Between Sec. 19 & 20

11. 90 A Blk. Oak 40 in. diam.  
 17. 50 Enter Wet Prairie  
 35. 00 Leave same  
 40. 00 Set a gr. Sec post from which  
 a Blk. Oak 20 in. diam. bears N 28 W 62 links dist. &  
 a Do. 14 " " " S 12 E 77 " "  
 55. 00 Enter Prairie  
 62. 60 A Brook 5 links wide. Course East.  
 65. 00 Leave the Prairie  
 80. 00 Set a Post cor. to Sec. 17 18. 19 & 20 from which  
 a W. Oak 40 in. diam. bears S 27 E. 2. 52 links dist. &  
 a Blk. Oak 15 " " " S. 29 W. 135 " "  
 Land rolling & note, same as last mile

East On Random between Sec. 17 & 20

16. 00 Enter Wet Prairie  
 17. 00 A Brook 4 links wide Cor. North.  
 39. 00 Leave the Prairie  
 40. 00 Set a temp. gr. Sec Post.  
 60. 00 Enter Wet Prairie  
 80 16 Intersect the N & S line 42 links South of Post.  
 Land rolling & note. Timber scrub Oak.  
 Mostly Wet Prairie

West Corrected between Sec. 17 & 20

40. 08 Set a gr. Sec post at aver. dist. from which  
 a Blk. Oak 18 in. diam. bears S. 87 N. 58 links dist. &  
 a Do. 5 " " " N 52 E 95. " "  
 80 16 To Sec. Corners



## T 34 N. R 9 E 2nd Mer. Indiana

West Between Secs 18 &amp; 19

19. 50 Enter Wet Prairie

22. 85 A Brook 8 links wide. Course North.

29. 00 Leave Prairie

32. 00 Enter Swamp

39. 00 Leave same

40. 00 Set a gr. Sec. post from which

a Blk. Oak 20 in. diam. bears N. 85 E. 49 links dist. &amp;

a Do 18 " " " N. 75 W. 58 " "

59. 59 A Blk. Oak 24 in. diam.

77. 62 Intersect the West Boundary 142 links North  
of the Post. where set a Post cor. of Sec. 18 & 19  
from which

a Blk. Oak 20 in. diam. bears S. 23 E. 133 links dist. &amp;

a Do 24 " " " N. 66 E. 127 " "

Land rolling 3 rate. Timber. W. &amp; B Oak.

East met Prairie &amp; swamp.

North Between Secs 17 &amp; 18

1. 00 Enter Wet Prairie

7. 20 A Brook 8 links wide. Course East.

16. 50 Leave Prairie

18. 89 A Blk. Oak 15 in. diam.

40. 00 Set a gr. Sec. post from which

a W. Oak 15 in. diam. bears S. 78 W. 77 links dist. &amp;

a Blk. Oak 14 " " " N. 84 E. 53 " "

57. 59 A Blk. Oak 36 in. diam.

80. 00 Set a Post cor. to Secs 7, 8, 17 &amp; 18 from which

a W. Oak 14 in. diam. bears S. 40 W. 12 links dist. &amp;

a Blk. Oak 14 in. " " " N. 88 E. 20 " "

Land &amp;c. same as last mile.

November 8<sup>th</sup> 1829

West Between Secs 7 &amp; 8

12. 41 A W. Oak 18 in. diam.

31. 50 Enter Swamp.

243

T 34 N. R 9 E 2<sup>nd</sup> Mer. Indiana.

- 40.00 Set a gr. Sec post in swamp from which  
a Maple 18 in. diam. bears S. 79 E. 156 links dist. &  
a Blk. Oak 18 " " " S 81 W. 172 " "
- 42.00 Leave the swamp.
- 56.35 A Hickory 8 in. diam.
- 70.90 Intersect the Mot Boundary 1.48 links South of Post.  
where set a Post cor. to Sec. 7 418 from which  
a W. Oak 24 in. diam. bears S. 66 E. 74 links dist. &  
a Dr 30 " " " N. 32 E. 136 " "  
Land broken & note. Timber. White & Black Oak.

- 
- East On Random between Sec. 7 & 18
- 35.50 Enter Prairie
- 38.00 A Brook 10 links wide. Course North.
- 40.00 Set a Temp. gr. Sec Post.
- 50.50 A Brook 12 links wide. Course South.
- 55.00 Leave the Prairie
- 62.50 Enter Prairie
- 75.00 A Stream 100 links wide. Course North
- 80.13 Intersect the N & S line 55 links South of the Post.  
Land rolling & note. Timber. Oak. Post met Prairie

- 
- West Connected between Sec. 7 & 18
- 40.00 Set a gr. Sec post at aver. dist. in prairie. where  
raised a Mound
- 80 12 To Sec. corner.

- 
- North Between Sec. 7 & 8
- 14.18 A Black Oak 24 in. diam.
- 40.00 Set a gr. Sec post from which  
a W. Oak 3 in. diam. bears S. 81 W. 22 links dist. &  
a Dr 14 " " " S 65 W 89 " "
- 60.50 Enter Prairie
- 80.00 Set a Post in same cor. to Sec. 5. 6. 7 418.  
from which  
a Black Oak 18 in. diam. bears N. 1 E. 155 links dist. &

## T 34 A R 9 E Ind. Mer. Indiana

Black Oak 18 in. diam. bears N 1 E 1.55 lks. dist.  
 Land rolling 3 rate. Timber. White & Black Oak  
 scarce. Part wet Prairie

- W 36 Between Sec. 6 & 7  
 20. 00 Leave Prairie  
 22. 83 A Black Oak 24 in. diam.  
 29. 00 Enter Swamp Prairie  
 40. 00 Set a gr. Sec. Post in same. to W 1 & swampy to  
 raise a Mound.  
 52. 50 Leave Prairie  
 53. 00 A Blk. Oak 30 in. diam.  
 77. 10 Intersect the W 36 Boundary 1.40 links South of  
 the Post. on Margin of Lake 836. where set a  
 Post cor. to Sec. 6 & 7 in Barrens and raised  
 a Mound.  
 Land gently rolling and 3 rate. Timber W & B.  
 Oak. scarce. & scrubby. Part wet Prairie.

- E 36 On Random between Sec. 5 & 8  
 40. 00 Set a Temp. gr. Sec. Post.  
 80. 20 Intersect the N & S line 40 links South of the Post.  
 Land level wet Prairie.

- W 36 Corrected between Sec. 5 & 8  
 40. 10 Set a gr. Sec. post in Prairie at area dist. from which  
 a W. Oak 22 in. diam. bears S 25 E. 79 links dist. &  
 a Blk. Oak 18 " " " S. 35 W. 44 " "  
 80. 20 To Sec. Corner

- North Between Sec. 5 & 6.  
 22. 56 A W. Oak 4 in. diam.  
 40. 00 Set a gr. Sec. Post from which  
 a W. Oak 4 in. diam. bears N 42 E. 34 links dist. &  
 a Blk. Oak 7 " " " S. 75 W. 47 " "  
 63. 50 To Margin of Lake No 5 where raised a Mound.

245

T 34 N. R 9 E 2<sup>nd</sup> Mer. Indiana.

November 9<sup>th</sup> 1829

74.00 Intersect the North Boundary in Lake Cor. to Sec.  
5. & 6.

Land level 3<sup>rd</sup> rate. scrubby Oak Barrens

November 10<sup>th</sup> 1829.

The Prairies in this Township are generally  
wet & swampy, and apparently very rich, and  
the water courses are in general skirted on each  
side with this description of Prairie.

Meanders of small Lake No 1 in Sec. 35 & 36  
From post in line between Sec. 35 & 36 on the North  
side of Lake. Thence

Courses	Distances	Remarks.
W 40	1.94	Across outlet of Lake 50 links wide, Course N.W.
S 56 W	4.50	Along Margin of Lake No 1. Sec 35,
S 83 W	17.50	
N 76 W	4.00	
S 52 W	4.00	
South	4.50	
S 38 E	6.24	to South Boundary of the Township, where set a Post from which a B. Oak 15 in. diam. bears N. 75 W. links dist. 8 a W Oak 20 " " " S. 32 W. 1.08 " "

East 22.65 Across Inlet to Lake 1.50 links wide.  
Course N.W. thence through impenetra-  
ble swamp where set post on line. no trees.  
N 36 E 6.75 To post on line between Sec. 35 & 36  
On the S. side of Lake.

Meanders of Lake No 1 in Sec 36  
N 43 E 4.00



## T 34 N. R. 9 E 2nd Mer. Indiana

N 10 E 4.50

N 38 1/2 W 2.89 To place of Beginning.

Meanders of small Lake No 2. in Sec. 35 & 36  
On the North side of Lake

S 77 W 11.50

S 3 E 8.00 in the 35.

S 80 1/2 E 11.14 Throng impenetrable swamp into  
Sec. 36

E 65 1/2 2.70

N 72 E 13.79

North 4.60

N 83 1/2 W 7.88

N 70 W 8.62

S 63 W 1.84 Across Outlet of Lake No 2. 85 links wide  
Course N. W. To place of Beginning

Meanders of part of Lake No 3 in Sec 33  
On the South Boundary of Township  
From post on S. Boundary on East side of Lake

N 30 W 6.00

N 13 W 9.00

N 38 E 8.30

N 16 W 8.00 Enter of Lake. 27 links wide. Course W.

N 24 W 6.56

N 15 E 10.00

N 4 W 7.50

N 46 E 7.50

N 43 E 6.50

N 25 E 4.00

N 32 E 6.50

N 25 E 4.00 - N 32 E - 6.50

N 80 1/2 E 5.00 Outlet 28 links wide Course North

N 26 1/2 6.00

S 6 E 7.00

South 12.50

S 10 E 6.00

S 25 W 3.50

S 21 1/2 W 9.57

247

T 34 N. R 9 E Ind. Mer. Indians.

Course	Distances	Remarks
S 40 E	12.00	
S 31 W	7.00	
S 22 E	2.00	
S 4. E	3.30	To Post in South Boundary of Township on West side of Lake.
Nov. 3 <sup>d</sup> 1829		

Meanders of Lake No 4 in the 28. From the  
gr. Sec. Corner between Sec. 21 & 28. S 15 E 18 N.  
distant to Margin of Lake where set a Post  
from which a  
Blk. Oak 18 in. diam. bears N. 29 E. 31 links dist. &  
a Hickory 6 " " " N 67 E 46 " "

S 77 E	6.50	
S 54 E	5.50	
S 26 E	11.00	
S 12 E	11.50	
S 29 W	6.50	
S 6. W	5.50	
S 17 E	9.00	
S 5 W	5.00	
N 80 E	3.00	Outlet 17 links wide. Course North
N 80 E	1.00	
N 8 W	6.21	
N 40 W	9.50	
N 17 E	6.50	
N 20 E	14.00	
N 20 W	10.93	
N 62 E	2.00	
N 66	6.00	
N 30 E	8.50	
N 47 W	6.50	
S 83 1/2 E	2.20	Outlet 20 links wide. Course North
S 83 1/2 E	1.30	
S 63 E	3.00	

## T 34 N R 9 E 2nd Mer. Indiana.

East 5.00  
 S 67 E 2.64 Place of Beginning.  
 Nov. 4<sup>th</sup> 1829

Meanders of part of Lake No 5. (On the Lake of Storms) in Sec 5 & 6 on the North Boundary between Sec 5 in this & Sec 32 in the adjacent Township Sec 5

S 5 N 0.22  
 S 42 N 5.02 At 3.75 an Outlet 10 links wide. Course N.E.  
 S 70 N 7.47  
 N 59 W 3.80 To post in Margin in line between Sec 5 & 6. Thence

N 82 W 7.00 In Sec 6  
 S 70 W 10.44  
 N 71 W 14.96 At 1.00 An Inlet 10 links wide Cr. East  
 N 11 W 9.00  
 N 34 E 1.55 To go Sec post on Margin in line between Sec 6 in this on Sec 31 in the adjacent town.  
 November 10<sup>th</sup> 1829.

Meanders of part of Lake No 6 on West Boundary in Sec 6. From mile post in West Bound<sup>y</sup> between Sec 6 & 7

Courses	Distances	Remarks.
East	12.58	
N 33 E	9.09	
N 67 E	7.73	
N 28 E	7.25	
N 11 W	5.41	
N 19 W	4.18	
N 25 W	13.68	
N 67 W	7.21	At 4.00 An Outlet 12 links wide Cr. N.E.
S 40 W	7.33	
N 77 W	5.10	

# T 34 A. R 9 E 9<sup>th</sup> Mer. Indiana

249

N 25 W 2.36 To Post in Margin on the North side of Lake  
in the West Boundary Nov. 12<sup>th</sup> 1829

Meanders of Lake in Sec 32.

Beginning at Post on Town line West side of Lake

N 5 E 13.00

N 3 W 45.00

S 79 E 6.00 At 5.00 an outlet 20 links wide Course N

S 45 E 28.00

S 7 W 7.00

S 15 E 7.00

S 23 W 20.00

S 28 1/2 E 5.40 To Post on East side on Town line

Meanders of a Lake in Sec 28.

From of the post between Secs 28 & 33. Thence

N 5 E 25.00

N 11 W 25.00

N 50 W 13.00

N 52 E 11.00 At 8.50 an Outlet 20 links wide. Course N W

S 59 E 17.00

S 33 E 13.00

S 11 E 11.50

S 27 W 9.00

S 9 E 11.00

S 21 W 5.00

S 60 W 6.00 At 5.00 an Inlet 12 links wide from S.

N 57 W 10.00

N 18 W 7.20 To Place of Beginning

Surveyed by  
A. M. Vance.

(Dep. Sur.)



T. 34 N. R. 9 E. 2nd Mer. Indiana

Pursuant to a Contract with and instructions from William Lytle Surveyor General of the United States, bearing date the 20<sup>th</sup> day of Sept<sup>r</sup> 1829. I have surveyed and subdivided into Sections. Township No 34 North of Range No 9 E of the 2nd Meridian, in the No. Wayne district in the State of Indiana; and I certify that the foregoing are the true and original Field Notes of the said survey and subdivisions, made under the contract aforesaid.

Certified this 26<sup>th</sup> day of March 1830.

Wm. C. Vance

Sup. Surveyor.

I certify that the foregoing transcripts of the field notes of Township No 34 North of Range No 9 East of the 2nd Mer. in the State of Indiana, has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office,  
Cincinnati, April 25. 1845

William Johnston  
Sup. Genl.